

Form 1
Monitor Name 1
Common 2
Graph 3
DLL Log 3

Form

x

- Setup **Form**
-
- IDE

Monitor Name

Axis Name :

- Custom :
 - MotionSetup AxisName

- Base Axis 0 : 'Axis ##' , 'Axis 0' . Driver Rotary
 - 1
 - 'Driver 1' 'Axis 0'
- Base Axis 1 : 'Axis ##' , 'Axis 1' . Driver Rotary
 - 'Driver 1' 'Axis 1'
- ID (Hexa) : 16
 - 'Base Axis 1' , 'Driver 10' 'Axis A'
- ID (Decimal) : 10
 - 'Base Axis 1' , 'Driver 10' 'Axis 10'
 - 'Base Axis 1' , ID(Hexa), ID(Decimal) , 'Driver 10' 'Axis 10(A)'
- **AxisName Type**

IO Channel : (DI/DO)

- Custom : 가
- Dec Global : 10 Global
- Dec Local : 10 Local
- Hex Global : 16 Global
- Hex Local : 16 Local
- **Global Channel Slave 가**
- **Local Channel Slave 가 0**
- DI / DO
- 16 DI , 16 DO , DO
 - Dec Global : DO 26
 - Dec Local : DO 10
 - Hex Global : DO 1A
 - Hex Local : DO A

Common

- Log file Size (MB) : log
- Log Folder Size (MB) : log
 - log 가 , 가

Graph

- BufferSize : .
- UpdateInterval : ms .
- BufferSize : 6000 / UpdateInterval : 10 , 60 .

DLL Log

- BufferSize (Lines) : DLL Logger, Shell Logging , BufferSize line .

From:

<http://comizoa.co.kr/info/> - -

Permanent link:

http://comizoa.co.kr/info/doku.php?id=application:comiide:30_control:10_setup:30_form

Last update: **2024/07/08 18:23**