

WriteOne	1
Write 1:N	2
Write N:N	2
EepOne / EepAll	2

(Write)

×

WriteOne

[2] Axis 4

[0] COMI-LX554 (EtherCAT)

Axis 0 (PANASONIC_A5B)

Axis 1 (PANASONIC_A5B)

Axis 4 (PANASONIC_A5B)

Axis 5 (PANASONIC_A5B)

Axis 6 (FASTECH)

Axis 7 (FASTECH)

'Axis 4'

☐	Item	Name	Minimum	Maximum	Defalut	Servo	Value	Unit
☐	42	Max position limit	-2147483648	2147483647	0	0	0	1 unit
☒	43	Polarity	0	255	0	0	224	---
☐	44	Max profile velocity	0	4294967295	104857600	104857600	104857600	1 unit/s
☐	45	Max motor speed	0	4294967295	6000	5000	5000	1 r/min

Bold

1016

Write One

Cancel


Axis	Category	Item	Name	PreValue	Value
0	Object (34)	43	Polarity	0	224

☐	Item	Name	Minimum	Maximum	Defalut	Servo	Value	Unit
☐	42	Max position limit	-2147483648	2147483647	0	0	0	1 unit
☒	43	Polarity	0	255	0	0	224	---
☐	44	Max profile velocity	0	4294967295	104857600	104857600	104857600	1 unit/s
☐	45	Max motor speed	0	4294967295	6000	5000	5000	1 r/min
☐	46	Profile velocity	0	4294967295	0	0	0	1 unit/s

- WriteOne , .
- WriteOne .

Write 1:N

- AxisList .



- Polarity 'Axis 0', 'Axis 4', 'Axis 5' .
- AxisList , (Vendor) .
- AxisList , .

Write N:N

- AxisList .

EepOne / EepAll

- 가 EEPROM (store) 1)
- (store) , 2)
- EEPROM 3)



1) 3)

2)

, MainIndex : 0x1010, SubIndex : 1, size : 4, val : 0x65766173,

CompleteAccess : 0

From:

<http://comizoa.co.kr/info/> - -

Permanent link:

http://comizoa.co.kr/info/doku.php?id=application:comiide:tool:servotunes:20_write&rev=1559017352

Last update: **2024/07/08 18:23**