

DataType ..... 1  
..... 3

# Normal Mode : API

× API

가 가


## DataType

- API out
- 
- API pointer out '&' 'ref'
  - Struct

```


ecmSxSt_GetMotState(0, 0, &nErrorCode)
ecmSxSt_GetMotState(0, 0, ref errorCode)
ecCfg_GetNetConfig(0, &Header, ref error)

```




- `{ }` .

```
ecmMxMot_VMoveStart(0, 2, {0, 1}, {0, 0}, &nErrorCode)
ecmMxMot_Stop(0, 2, {0, 1}, 0, 1, &nErrorCode)
```




- Enum Enum int 가 .

```
ecSlv_SetAlState_A(0, 1, EEcAlState.SafeOp, &nErrorCode)
ecSlv_SetAlState_A(0, 1, 8, &nErrorCode)
```




- Enum string .



- API (;

```
ecmSxSt_GetMotState(0,0,&error);ecmSxSt_GetMotState(0,1,&error)
```



comizoa, , ide, shell, , api, test

From:

<http://comizoa.co.kr/info/> - -

Permanent link:

[http://comizoa.co.kr/info/doku.php?id=application:comiide:tool:shell:shell\\_normalmode](http://comizoa.co.kr/info/doku.php?id=application:comiide:tool:shell:shell_normalmode)

Last update: **2024/07/08 18:23**