


|    |     |       |   |
|----|-----|-------|---|
| 0. |     | ..... | 1 |
| 1. | IP  | ..... | 2 |
| 2. | dat | ..... | 2 |
| 3. |     | ..... | 2 |

# cEIP /

× cEIP



|           |      |
|-----------|------|
| ceNM-IP : | CEIP |
| ceNM-SE : | 가    |

|                 |                                     |
|-----------------|-------------------------------------|
| 0.              |                                     |
| • cEIP          | c6711PowerFlasher.exe <sup>1)</sup> |
| • PowerFlasher가 | PC cEIP Ethernet <sup>2)</sup>      |

1. IP

- cEIP IP 3)
- 192.169.1.1 .


2. dat

- PowerFlasher.exe dat .
- FW ... .

3.

- 4)5)
- 가 , 가 6)

- 
- 가 ping ping 가 .



'MSB:0xF,'LSB:0xF' 가 . 가 가 .

```

1. IP                                0xF,0xF
2.      가
3.      5
4.      (                               ex.MSB:0x0, LSB:0x1 -> 192.168.1.1)
5.      (                               가 )
6. Act LED, Err LED                500ms                                ( 가
    Act LED                500ms                                )

```

- 1) Core PC .
- 2) RJ-45
- 3) cEIP .
2. Firmware Reset
- 4)
- 5) Act LED 500ms , Act,Err LED가 500ms
- 6) 가 가 가

From: <http://comizoa.co.kr/info/> - -

Permanent link:  
[http://comizoa.co.kr/info/doku.php?id=faq:comiapp:fwupdater:02\\_ceip&rev=1654756097](http://comizoa.co.kr/info/doku.php?id=faq:comiapp:fwupdater:02_ceip&rev=1654756097)

Last update: **2024/07/08 18:22**