

Addressing	1
Index	1
Address	2
Custom	2
Auto	4

Addressing

× Slave Mapping

Setup

Main

Address

Config

401

☒ 402

5001

- Index : Mapping
- Address : Mapping
- Custom : User Define Mapping
- Auto : Device Type

Index

Configurator

Setup

Main

Address

Config

401

☒ 402

5001

Scanned List

Slave Count 15

ETS #00 [02FFh] MASTER-DC

#01 [0300h] ETS-HUB06

#02 [0007h] R88D-KN01H-ECT

#03 [0002h] R88D-KN01H-ECT

#04 [0301h] ETS-HUB06

#05 [02FAh] GX-JC06(IN,X2,X3) Ma

ETS #06 [0244h] ETS-A0402MV-E

ETS #07 [0243h] ETS-AI08AH-E

ETS #08 [0242h] ETS-AI08AH-E

ETS #09 [0241h] ETS-A004V-E

ETS #10 [0246h] ETS-D08MN

ETS #11 [0245h] ETS-D08MN

ETS #12 [0247h] ETS-DI16N

ETS #13 [0248h] ETS-DO16N

#14 [02FBh] GX-JC06(X4,X5,X6) Su

Info

Logic Memory Section - Output

Logic Memory - Input

DI/O Channel Map

AI/O Channel Map

Start Channel	Channel Count	Start L-Address	Start L-Bit	Device	No	Alias
Digital Input Channel Map						
0	8	0	0	ETS-D08MN	10	0246
8	8	2	0	ETS-D08MN	11	0245
16	16	4	0	ETS-DI16N	12	0247
Digital Output Channel Map						
0	8	0	0	ETS-D08MN	10	0246
8	8	1	0	ETS-D08MN	11	0245
16	16	2	0	ETS-DO16N	13	0248

- Index

가
- IO

◦ 10


◦ 11

ETS-D08MN (0x246)
ETS-D08MN (0x245)

0 ~ 7
8 ~ 15

Global Channel
Global Channel

Address



- **Address**

가 .

• 10


- | | | | | |
|---------|---|-----------|--------|----------------|
| ○ 0x245 | 가 | ETS-D08MN | 0 ~ 7 | Global Channel |
| ○ 0x246 | 가 | ETS-D08MN | 8 ~ 15 | Global Channel |

Custom




- Custom


User Defined Map




• Custom Main IoMap .



• Item Drag Map




- Drop Map Channel



- Channel Map

Auto



- Check ProfileType¹⁾
 - 401 Profile Driver Address가

- 1 .
- DeviceID Switch .
- **Station Alias Selection** .

1)
401 MocroController가 IO, 402 Driver, 5001

From:

<http://comizoa.co.kr/info/> - -

Permanent link:

http://comizoa.co.kr/info/doku.php?id=platform:ethercat:1_setup:10_config:20_desc:50_addressing&rev=1624454560

Last update:

2024/07/08 18:22