

AIStatus Error	1
Case 1	1
Case 2	1
Case 3	2
Case 4	2
Case 5	2
Case 6	3

OP

× AIState가 OP-State

AIStatus Error

- Slave가 OP
 - AI Status Error
-

Case 1

- Slave Address ,
- Slave Address Slave 가
- , EtherCAT Master가 Address¹⁾ Slave ²⁾가
- Slave

Case 2

- x64 OS 'ComiECatConfig_x64' Configuration x86 Application
- x64 OS 'ComiECatConfig_x64' Configuration ,
 - CEcatNetCfg_#_#.cec³⁾ C:\Windows\System32
- x86 Application c:\Windows\SysWow64
 - x64 Application C:\Windows\System32
- Configuration 가 OP
 - Configuration DeviceLoad Master Device Load

x64 Application

x86 Application

- ComiIDE Configuration .
- 'ComiECatConfig_x86' Configuration .
- 'ComiECatConfig_x64' Configuration . 'CEcatNetCfg_#_#.cec'
c:\Windows\SysWow64 C:\Windows\System32

Case 3


- MDP Type Slave Slot Module 가
- **Slot Module** 가

Case 4

- ProcessData Assign
- **LS MECAPION : SafeOP**

Case 5

- PDO Assign



- EcatConfig PDO Assignment

```
<Mailbox DataLinkLayer="1">
  <CoE SdoInfo="1" PdoAssign="1" PdoConfig="1" CompleteAccess="0" Segmentedsdo="1" DiagHistory="1">
    <InitCmd>
      <Transition>PS</Transition>
      <Index>#x6060</Index>
      <SubIndex>0</SubIndex>
      <Data>08</Data>
    </InitCmd>
  </CoE>
</Mailbox>
```

- xml : PdoAssign="0" → PdoAssign="1"

Case 6

• ComiEcatConfig

가

,

OP

• EcatConfig(2016/03/07)

SlaveListMode

“

”

◦

Addressing

,

Scan

Index

• 'ComilDE'

Configuration

.

• 2016/03/07

EcatConfig

.

• 2016/03/07

'EcatConfig'

“

”

1)

2)

3)

Configuration

From:
<http://comizoa.co.kr/info/> - -

Permanent link:
http://comizoa.co.kr/info/doku.php?id=platform:ethercat:1_setup:10_config:ts:30_safeop_failed&rev=1586855050

Last update: 2024/07/08 18:22